REVIEW ARTICLE Bhartiya Krishi Anusandhan Patrika, Volume 39 Issue 1: 32-38 (March 2024)

Revitalizing Agriculture: Role of Cow Dung and Urine in Promoting Sustainability

Dhananjay Patra[1], Nalin Bharti[1]

10.18805/BKAP696

ABSTRACT

Cow dung and urine have been used as natural fertilizers and pesticides for centuries in India and recent scientific research has confirmed their effectiveness in promoting sustainable agriculture. Cow dung is a rich source of organic matter, essential nutrients such as nitrogen, phosphorus and potassium and beneficial microorganisms that can enhance soil fertility and plant growth. On the other hand, cow urine contains high levels of nitrogen, urea and minerals that make it a potent fertilizer and pest repellent. Currently, there is growing research attention towards exploring the potential applications of cow dung and urine for sustainable agriculture. This study highlights the various uses of cow dung and urine, including their role in transforming from chemical to natural farming, converting fallow to fertile land and promoting sustainable agriculture to develop a healthier and more harmonious relationship between humans and the environment.

Key words: Cow dung, Cow urine, Sustainable agriculture, Sustainable development.

[1]Department of Humanities and Social Sciences, Indian Institute of Technology, Patna-801 106, Bihar, India.

Corresponding Author: Nalin Bharti, Department of Humanities and Social Sciences, Indian Institute of Technology, Patna-801 106, Bihar, India. Email: nalinbharti@gmail.com

How to cite this article: Patra, D. and Bharti, N. (2024). Revitalizing Agriculture: Role of Cow Dung and Urine in Promoting Sustainability. Bhartiya Krishi Anusandhan Patrika. 39(1): 32-38. doi: 10.18805/BKAP696.

Submitted: 28-11-2023 **Accepted:** 13-03-2024 **Online:** 28-03-2024

Cow dung and cow urine are natural by-products of cows and other ruminants that can be used in sustainable agriculture practices (Gupta *et al*., 2016). These rich sources of nutrients and organic matter can improve soil health, support healthy plant growth and reduce reliance on synthetic fertilizers (Rawat *et al*., 2019). Cow dung is commonly used as a fertilizer in sustainable agriculture. It contains various nutrients, such as nitrogen, phosphorus and potassium, essential for plant growth (Khan *et al*., 2010). It can be mixed with other organic matter, such as crop residues and compost, to create a nutrient-rich soil amendment that improves soil structure, increases water retention and supports healthy plant growth. Cow urine also contains various nutrients and minerals that can benefit plants (Sodani and Kumar, 2017). It is high in nitrogen and can be used as a liquid fertilizer or foliar spray. Additionally, it contains trace elements such as copper, iron and zinc, which are important for plant growth and can help improve soil health.

Cow dung and cow urine have a variety of uses in promoting soil fertility and agriculture sustainability (Zaman *et al*., 2017). Cow dung is an excellent organic fertilizer used as a soil amendment, mixed with other organic matter, or applied directly to the soil. Cow dung can be used in composting to create nutrient-rich organic matter that can improve soil health and support healthy plant growth (Nagavallemma *et al*., 2004). Cow urine contains natural insecticidal properties that can control pests and plant diseases (Miah *et al*., 2017). Cow dung can be used as a seed starter mix to improve seed germination rates. Cow dung can improve soil structure and water retention, making it easier for plants to absorb nutrients and water (Lim *et al*., 2015; Shaji *et al*., 2021). Using cow dung and cow urine in sustainable agriculture practices can help reduce the use of synthetic fertilizers, which can have negative environmental impacts such as soil degradation and water pollution (Mohapatra *et al*., 2009). It provides a more sustainable source of nutrients and organic matter, contributing to a more environment-friendly and sustainable food system.

Cow dung and cow urine have been used in agriculture for centuries and are considered natural and sustainable fertilizers. Using cow dung and cow urine in agriculture is a sustainable and environment-friendly approach that can help farmers improve their crop yields while reducing their reliance on synthetic chemicals. In the next section, we discuss the different uses of cow dung and urine as a resource in sustainable agriculture and draw conclusions.

FROM WASTE TO WEALTH: UTILIZING COW DUNG AND URINE IN SUSTAINABLE FARMING PRACTICES

Soil productivity

Cow dung is a valuable resource that can improve soil productivity and contribute to sustainable agriculture practices. It contains various nutrients and microorganisms that can enhance soil fertility, support healthy plant growth and promote a more sustainable food system (Gupta *et al*., 2016). Cow dung is a rich source of nutrients, such as

nitrogen, phosphorus and potassium, essential for plant growth. These nutrients are released slowly over time, providing a sustained source of plant nutrition. Cow dung is high in organic matter, which can improve soil structure and water-holding capacity. Organic matter helps to reduce soil erosion, increase water infiltration and provide a source of food for soil organisms (Bot and Benites, 2005). Cow dung is a rich source of beneficial microorganisms, including bacteria and fungi, which play an important role in breaking down organic matter and releasing nutrients. These microorganisms can also help to suppress harmful plant pathogens and pests. Cow dung has a neutral pH, which can help to balance soil acidity levels. This is important for plant growth, as soil that is too acidic or alkaline can inhibit nutrient uptake and reduce crop yields (Soliaman *et al*., 2022). Using cow dung as a fertilizer is a sustainable practice, as it reduces the need for synthetic fertilizers that can have negative environmental impacts.

Cow urine has been traditionally used in India as a natural fertilizer for crops, as it is believed to have several beneficial properties that can enhance soil productivity. In recent years, there has been increasing interest in using cow urine as a potential soil amendment, particularly among organic farmers and proponents of sustainable agriculture. Cow urine is rich in important nutrients essential for plant growth and development, including nitrogen, phosphorus and potassium (Saunders, 1982). These nutrients are present in urea, ammonia and other organic compounds, which plants can readily absorb and use for their growth (Prabhu and Mutnuri, 2014). In addition to its nutrient content, cow urine contains a range of beneficial microorganisms, including bacteria, fungi and other microbes. These microorganisms can help to promote soil health by improving soil structure, increasing nutrient availability and suppressing harmful pathogens and pests.

Several studies (Cookson and Cornforth, 2002; Owens *et al*., 2017; Pradhan *et al*., 2018; Wachendorf *et al*., 2005) have investigated the potential benefits of using cow urine as a soil amendment. For example, a study conducted in India found that applying cow urine significantly increased the yield of several crops, including wheat, rice and maize (Basak *et al*., 2012). The study suggested that this effect was likely due to nitrogen and other nutrients in the urine and the beneficial microorganisms it contained. Another study conducted in Brazil found that applying cow urine to soil increased the soil's microbial activity, which led to increased plant growth and yield (Major *et al*., 2005). The study shows that this effect was likely due to the presence of urea and other organic compounds in the urine, which served as a source of nutrients for the soil microorganisms.

Combining cow dung and cow urine can have a powerful effect on soil productivity. Cow dung is rich in nitrogen and phosphorus, while cow urine contains high potassium levels and micronutrients. Combined, they can provide a balanced mix of essential plant nutrients, improve soil structure and water-holding capacity, enhance microbial activity and even provide natural pest control (Dhama *et al*., 2005; Pathak and Ram, 2013). The result is improved soil productivity and healthy plant growth. Using cow dung and urine is a sustainable and eco-friendly way to enhance soil fertility and promote healthy crops, making it a valuable tool in sustainable farming practices.

Organic fertilizer

Cow dung is a type of animal waste that comes from cows. It comprises undigested feed, water and microorganisms and contains nitrogen, phosphorus and potassium nutrients. Cow dung is often used as a source of fuel in some regions of the world and as a valuable organic fertilizer. Organic fertilizer is a type of fertilizer made from organic materials such as plant and animal waste. It differs from synthetic or chemical fertilizers made from inorganic compounds (Assefa and Tadesse, 2019). Farmers and gardeners often use organic fertilizers to improve soil fertility, reduce environmental impact and promote healthy plant growth (Hazra, 2016). Cow dung is a common ingredient in organic fertilizers, providing valuable nutrients to plants and helping to improve soil structure (Shaji *et al*., 2021). When cow dung is used as a fertilizer, it can help increase the soil's organic matter content, improving soil fertility and water-holding capacity. Cow dung can also help stimulate the growth of beneficial microorganisms in the soil, aiding in nutrient cycling and improving plant health. Organic fertilizers have several benefits over synthetic fertilizers. They are generally more sustainable and environmentally friendly, made from renewable resources and do not contribute to soil and water pollution (Senesi, 1989). They also tend to release nutrients more slowly over time, which can help to reduce nutrient loss and improve plant growth.

Cow urine is another type of animal waste that can be used in organic fertilizers. It is a liquid waste product composed of water, urea, minerals, enzymes and other organic compounds (Dhama *et al*., 2005). In traditional Indian agriculture, cow urine has been used as a natural pesticide and fertilizer for centuries. Cow urine is rich in nitrogen, potassium and other nutrients essential for plant growth. When used as a fertilizer, it can help to improve soil fertility and stimulate plant growth (Pradhan *et al*., 2018). In addition to its nutrient content, cow urine also contains beneficial microorganisms that can help to enhance soil health and reduce plant diseases (Boraiah *et al*., 2017). Organic fertilizers made from cow urine are often combined with other organic materials such as cow dung, compost and other plant-based materials. The specific recipe used to make the fertilizer will depend on the specific nutrient needs of the plants being grown and the characteristics of the soil.

One of the advantages of using organic fertilizers made from cow urine is that they are completely natural and do not contain harmful chemicals or synthetic compounds (Saini *et al*., 2019; Shaji *et al*., 2021). They are also sustainable and environmentally friendly, made from renewable

resources and do not contribute to soil or water pollution. Another advantage of using cow urine in organic fertilizers is that it can help to repel pests and diseases. Cow urine contains compounds such as urea, uric acid and ammonia, which can deter insects and other pests from attacking plants. Moreover, cow urine contains enzymes and other organic compounds that can help to break down harmful pathogens and reduce the risk of plant diseases (Mohanty *et al*., 2014).

The combination of cow dung, cow urine and organic fertilizer production can have a powerful effect on sustainable agriculture. Cow dung and urine are rich in nutrients and beneficial microbes, making them ideal ingredients for producing organic fertilizers (Reddy and Menon, 2021). It provides a sustainable and effective way to enhance soil productivity and promote healthy plant growth (ibid.).

Plant growth

Cow dung is a natural source of nutrients that can promote plant growth. It contains many nutrients, including nitrogen, phosphorus, potassium, calcium and magnesium. However, in addition to these nutrients, cow dung contains plant growth-promoting bacteria (PGPB) which can further enhance plant growth (Mukhuba *et al*., 2018). PGPB are beneficial microorganisms that live in the rhizosphere (the area around plant roots) and help to promote plant growth by improving nutrient uptake, reducing plant stress and protecting against pathogens (Bashan and De-Bashan, 2005). Cow dung is rich in PGPB, making it a valuable resource for farmers and gardeners who want to promote healthy plant growth. The PGPB found in cow dung includes bacteria such as Azotobacter, Rhizobium and Bacillus (Itelima *et al*., 2018). These bacteria can help to fix atmospheric nitrogen, making it available to plants and improving soil structure and water-holding capacity. They can also produce plant growth hormones such as auxins and cytokinins, stimulating root growth and increasing nutrient uptake (Kundan *et al*., 2015). When cow dung is used as a fertilizer, the PGPB it contains can help to enhance plant growth and productivity. In addition to direct benefits to the plant, PGPB can also help to improve soil health by increasing organic matter content and enhancing nutrient cycling (Kumar *et al*., 2022). This can result in long-term improvements in soil fertility and productivity (Itelima *et al*., 2018). One of the advantages of using cow dung as a source of PGPB is that it is a natural and sustainable resource. Unlike synthetic fertilizers, which can have negative environmental impacts and contribute to soil degradation, cow dung can help improve soil health and promote sustainable agriculture.

Cow urine is another natural resource that can promote plant growth and contains PGPB. These PGPBs are beneficial microorganisms that can help to improve plant growth by increasing nutrient availability, reducing stress and protecting against pathogens (Anandham *et al*., 2015). The PGPB found in cow urine includes bacteria such as Bacillus, Pseudomonas and Azospirillum (Apollon *et al*., 2022). These bacteria can help to promote plant growth in several ways. For example, they can fix atmospheric nitrogen and convert it into forms available to plants, such as ammonium and nitrate. They can also solubilize phosphorus and other micronutrients, making them more easily absorbed by plant roots (Olaniyan and Adetunji, 2021). In addition to nutrient cycling, PGPB in cow urine can also produce plant growth hormones such as auxins, cytokinins and gibberellins, which can stimulate root growth and enhance nutrient uptake (Yatoo *et al*., 2020). These hormones can also help to reduce plant stress and promote overall plant health. When cow urine is used as a natural fertilizer, the PGPB it contains can help to enhance plant growth and productivity. In addition, using cow urine as a fertilizer can help reduce the amount of synthetic fertilizers used, which can have negative environmental impacts. One of the advantages of using cow urine as a source of PGPB is that it is a natural and sustainable resource. Cow urine is readily available and can be collected easily. It is also a low-cost option for farmers and gardeners who want to promote healthy plant growth without synthetic fertilizers.

Cow dung and cow urine are both natural resources that can be used to promote plant growth. When combined, they can provide a powerful source of nutrients, beneficial microorganisms and natural pest control, all of which can help to improve soil health and increase crop yields (Ananno *et al*., 2021). Cow dung is a natural source of nutrients, including nitrogen, phosphorus, potassium and other micronutrients. It also contains PGPB, which can help to enhance plant growth and improve soil health. On the other hand, cow urine is rich in nitrogen, potassium and other nutrients, as well as PGPB, that can further enhance plant growth. When cow dung and cow urine are combined, they can create a natural fertilizer rich in nutrients and beneficial microorganisms. Therefore, cow dung and cow urine are a powerful combination of nutrients, beneficial microorganisms and natural pest control properties that can help to promote healthy plant growth and improve soil health.

Crop quality and productivity

Cow dung and urine have been used as traditional agricultural inputs for centuries. They have long been recognized as valuable resources that can significantly enhance crop yields (Powell, 2014). Cow dung and urine are rich sources of essential plant nutrients such as nitrogen, phosphorus and potassium. These nutrients are vital for plant growth, development and productivity (Raj *et al*., 2014). Applying cow dung and urine can provide plants with a slow-release source of nutrients, which are more readily available than chemical fertilizers (Ansari *et al*., 2016).

Additionally, cow urine contains micronutrients such as iron, magnesium and copper, which are essential for crop growth. Cow dung and urine are excellent inputs for soil fertility management. They contain organic matter, which, when added to soil, enhances soil structure and

water-holding capacity (Gugalia, 2021; Shepherd *et al*., 2002). Organic matter is also essential for improving soil fertility by providing a rich source of beneficial microorganisms that support soil health and promote nutrient cycling. Cow dung and urine also have alkaline properties that help neutralize acidic soils, making nutrients more available to plants. Cow urine has natural pesticide properties that can help control pests and diseases in crops. The active compounds present in cow urine, such as neem and turmeric, have been found to have insecticidal and fungicidal properties that can prevent crop damage caused by pests and diseases (Baruah and Gaikwad, 2013). The use of cow dung and urine can help reduce soil erosion, which is a significant factor that affects crop yield (Uzoma *et al*., 2011). The organic matter present in these inputs increases aggregate soil stability, which helps to prevent soil erosion caused by wind and water. Cow dung and urine can improve crop quality, increasing market value. These inputs' nutrients and organic matter promote healthy plant growth, improving crop quality (Reeve *et al*., 2016).

Transforming from chemical to natural farming

Cow dung and urine play a crucial role in practicing natural farming, a sustainable and environmentally friendly farming practice (Asokan *et al*., 2020; Devarinti, 2016; Korav *et al*., 2020; Saxena *et al*., 2022). Cow dung and urine are rich in essential nutrients such as nitrogen, phosphorus and potassium for plant growth. When used as organic fertilizers, they improve soil fertility and promote the growth of beneficial microorganisms, essential for soil structure and nutrient cycling. Moreover, these organic inputs improve soil texture, water-holding capacity and aeration, which enhances crop growth and yields. Using cow dung and urine in natural farming can promote soil health. These inputs contain organic matter that can help increase soil microbial activity, which is essential for soil structure and fertility (Saharan *et al*., 2023). Cow urine contains natural pesticides, such as neem and turmeric, to help prevent crop pest infestations. These natural pesticides effectively control pests and diseases without causing harm to the environment or the ecosystem (Kumawat *et al*., 2014).

Using cow dung and urine in natural farming reduces the environmental pollution caused by chemical fertilizers and pesticides. These natural inputs are locally available, inexpensive and do not harm the environment. Moreover, they promote using renewable resources, such as compost and biogas, which can replace synthetic fertilizers and fossil fuels. Using cow dung and urine in natural farming can also benefit livestock health (Mohanapure and Chavhan, 2020; Pradhan *et al*., 2018). Cow urine has antimicrobial and antifungal properties, which can prevent infections and promote animal health. The use of cow dung and urine in natural farming is a sustainable and effective way to transform from chemical to natural farming (Devarinti, 2016; Khan *et al*., 2022). This approach promotes biodiversity, reduces environmental pollution and supports the long-term health of our planet (Korav *et al*., 2020). As farmers increasingly recognize the benefits of natural farming, using cow dung and urine is likely to become an increasingly important part of sustainable agricultural practices (Khadse and Rosset, 2019; Kumar, 2023; Smith *et al*., 2020).

Revitalizing fallow lands into fertile landscape

Using cow dung and urine to transform fallow land into fertile land is a time-tested and highly effective agricultural practice (Lekasi *et al*., 2003). Cow dung and urine contain essential nutrients, organic matter and beneficial microorganisms that can help improve soil fertility and productivity (Dhiman *et al*., 2021; Pathak and Ram, 2013). Cow dung and urine can help restore the natural balance of nutrients and microorganisms in the soil, making it more fertile and productive (Gashaw, 2016). One of the primary ways cow dung and urine are used to transform fallow land into fertile land is through composting (Harris, 2002; Lekasi *et al*., 2003; Tran *et al*., 2020). Cow dung is collected and mixed with other organic materials like leaves, grass and food waste to create a nutrient-rich compost (Adhikary, 2012; Waqas *et al*., 2018). Cow urine is also added to the compost to increase its nutrient content and promote the growth of beneficial microorganisms. The compost is added to fallow land to improve soil fertility and promote healthy plant growth.

In addition to composting, cow dung and urine can also be used as natural soil amendments (Jauregi *et al*., 2021). Cow dung contains essential nutrients like nitrogen, phosphorus and potassium and beneficial microorganisms that can help improve soil structure, increase water-holding capacity and promote healthy plant growth. Cow urine contains nutrients like nitrogen, potassium and phosphorus, which are vital for healthy plant growth. When added to fallow land, cow dung and urine can help restore the natural balance of nutrients and microorganisms in the soil, making it more fertile and productive (Bekunda *et al*., 2010; Giller *et al*., 1997; Powell *et al*., 2004). Another way to use cow dung and urine in transforming fallow land into fertile land is to make a natural pesticide (Bishnoi and Bhati, 2017; Shaibur *et al*., 2021). Cow urine contains natural insecticidal properties that can help control pests like aphids, mites and whiteflies (Suganthy, 2020). When sprayed on crops, cow urine can repel insects and prevent infestations without using harmful chemical pesticides (Deshmukh, 2015). Cow dung can also be used to make a natural insecticide by mixing it with water and applying it to crops.

Using cow dung and urine to transform fallow land into fertile land is a sustainable and environmentally friendly alternative to synthetic fertilizers and pesticides (Harris, 2002; Tran *et al*., 2020). It promotes soil health and biodiversity and reduces environmental pollution. As more farmers recognize the benefits of using cow dung and urine, the practice will likely become an increasingly important part of sustainable agricultural practices (Ansari *et al*., 2016; Bishnoi and Bhati, 2017; Devarinti, 2016; Ferdous *et al*., 2021).

CONCLUSION

In conclusion, cow dung and urine are not just waste products from cattle farming; these are sacred signs of sustainable agriculture. These natural substances have been used for centuries by farmers worldwide as organic fertilizers and pesticides and their benefits cannot be overstated. Cow dung and urine provide essential nutrients for plant growth, improve soil structure and water retention and help control pests and diseases naturally. Furthermore, using cow dung and urine in agriculture promotes a circular economy, turning waste products into valuable resources. This reduces the need for synthetic fertilizers and pesticides, which have negative impacts on the environment and human health. In addition, cow dung and urine are readily available, inexpensive and easy to apply, making them accessible to farmers of all scales.

It is high time that we recognize the potential of cow dung and urine as valuable resources for sustainable agriculture. Governments and institutions should invest in research and development to explore more ways to optimize their use in agriculture. Farmers should also be educated on the proper collection, storage and application of cow dung and urine to maximize their benefits. The utilization of cow dung and urine in agriculture is beneficial not only for the environment but also for farmers and consumers who will enjoy healthier and more nutritious crops. As we face global challenges such as climate change, soil degradation and food insecurity, using cow dung and urine in sustainable agriculture could be a game-changer in achieving a more sustainable and resilient food system.

Conflict of interest

The author declare that the manuscript is original and has not been published elsewhere and there is no conflict of interest.

REFERENCES

Adhikary, S. (2012). Vermicompost, the story of organic gold: A review. Agricultural Sciences. 3(7): 905-917.

Anandham, R., Premalatha, N., Jee, H. J., Weon, H. Y., Kwon, S. W., Krishnamoorthy, R., Gandhi, P.I., Kim, Y.K. and Gopal, N.O. (2015). Cultivable bacterial diversity and early plant growth promotion by the traditional organic formulations prepared using organic waste materials. International Journal of Recycling of Organic Waste in Agriculture. 4: 279-289.

Ananno, A.A., Masud, M.H., Mahjabeen, M. and Dabnichki, P. (2021). Multi-utilisation of cow dung as biomass. Sustainable Bioconversion of Waste to Value Added Products. 215-228.

Ansari, A.A., Jaikishun, S., Islam, M.A., Kuri, S.K., Fiedler, K. and Nandwani, D. (2016). Principles of vermitechnology in sustainable organic farming with special reference to Bangladesh. Organic Farming for Sustainable Agriculture. 213-229.

Apollon, W., Vidales-Contreras, J.A., Rodríguez-Fuentes, H., Gómez-Leyva, J.F., Olivares-Sáenz, E., Maldonado-Ruelas, V.A., Ortiz-Medina, R.A., Kamaraj, S.K. and Luna-Maldonado, A.I. (2022). Livestock's urine-based plant microbial fuel cells improve plant growth and power generation. Energies. 15(19): 6985. https://doi.org/10.3390/en15196985.

Asokan, R., Murugan, D. and Sathiyaraj, S. (2020). Environmental sustainability through zero budget natural farming. Studies in Indian Place Names. 40(13): 1876-1885.

Assefa, S. and Tadesse, S. (2019). The principal role of organic fertilizer on soil properties and agricultural productivity-a review. Agri Res and Tech: Open Access J. 22(2): 556192. doi: 10.19080/ARTOAJ.2019.22.556192.

Baruah, S. and Gaikwad, A. (2013). Comparative study of chemically bleached and traditionally bleached cotton khadi fabric treated with natural herbs. Man-Made Textiles in India. 41(1): 5-8.

Basak, B.B., Biswas, D.R. and Rattan, R.K. (2012). Comparative effectiveness of value-added manures on crop productivity, soil mineral nitrogen and soil carbon pools under maize-wheat cropping system in an Inceptisol. Journal of the Indian Society of Soil Science. 60(4): 288-298.

Bashan, Y. and De-Bashan, L.E. (2005). Plant growth-promoting. Encyclopedia of Soils in the Environment. 1: 103-115.

Bekunda, M., Sanginga, N. and Woomer, P.L. (2010). Restoring soil fertility in sub-Sahara Africa. Advances in Agronomy. 108: 183-236.

Bishnoi, R. and Bhati, A. (2017). An overview: Zero budget natural farming. Trends in Biosciences. 10(46): 9314-9316.

Boraiah, B., Devakumar, N., Shubha, S. and Palanna, K.B. (2017). Effect of panchagavya, jeevamrutha and cow urine on beneficial microorganisms and yield of capsicum [*Capsicum annuum* (L.) var. Grossum]. Int. J. Curr. Microbiol. App. Sci. 6(9): 3226-3234.

Bot, A. and Benites, J. (2005). The importance of soil organic matter: Key to drought-resistant soil and sustained food production. Food and Agriculture Org.

Cookson, W.R. and Cornforth, I.S. (2002). Dicyandiamide slows nitrification in dairy cattle urine patches: Effects on soil solution composition, soil pH and pasture yield. Soil Biology and Biochemistry. 34(10): 1461-1465.

Deshmukh, P.S. (2015). A Case study: Traditional methods of pest control in some villages of Kolhapur District. Online International Interdisciplinary Research Journal. 5(3): 87-92.

Devarinti, S.R. (2016). Natural farming: Eco-friendly and sustainable. Agrotechnology. 5(2): 147. doi: 10.4172/2168-9881.1000147.

Dhama, K., Rathore, R., Chauhan, R.S. and Tomar, S. (2005). Panchgavya (Cowpathy): An overview. International Journal of Cow Science. 1(1): 1-15.

Dhiman, S., Kumar, S., Baliyan, N., Dheeman, S. and Maheshwari, D.K. (2021). Cattle dung manure microbiota as a substitute for mineral nutrients and growth management practices in plants. Endophytes: Mineral Nutrient Management. 3: 77-103.

Ferdous, Z., Zulfiqar, F., Datta, A., Hasan, A.K. and Sarker, A. (2021). Potential and challenges of organic agriculture in Bangladesh: A review. Journal of Crop Improvement. 35(3): 403-426.

Gashaw, A. (2016). Co-digestion of municipal organic wastes with night soil and cow dung for biogas production: A review. African Journal of Biotechnology. 15(2): 32-44.

Giller, K.E., Cadisch, G., Ehaliotis, C., Adams, E., Sakala, W.D. and Mafongoya, P.L. (1997). Building soil nitrogen capital in Africa. Replenishing Soil Fertility in Africa. 51: 151-192.

Gugalia, G. (2021). A sustainable agriculture: Organic farming: A review. Bhartiya Krishi Anusandhan Patrika. 36(3): 204-207. doi: 10.18805/BKAP307.

Gupta, K.K., Aneja, K.R. and Rana, D. (2016). Current status of cow dung as a bioresource for sustainable development. Bioresources and Bioprocessing. 3(1): 1-11.

Harris, F. (2002). Management of manure in farming systems in semi-arid West Africa. Experimental Agriculture. 38(2): 131-148.

Hazra, G. (2016). Different types of eco-friendly fertilizers: An overview. Sustainability in Environment. 1(1): 54. doi: 10.22158/se.v1n1p54.

Itelima, J.U., Bang, W.J., Onyimba, I.A., Sila, M.D. and Egbere, O.J. (2018). Bio-fertilizers as key player in enhancing soil fertility and crop productivity: A review. Direct Research Journal of Agriculture and Food Science. 6(3): 73-83.

Jauregi, L., Epelde, L., Alkorta, I. and Garbisu, C. (2021). Antibiotic resistance in agricultural soil and crops associated to the application of cow manure-derived amendments from conventional and organic livestock farms. Frontiers in Veterinary Science. 8: 633858. doi: https://doi.org/10.3389/fvets.2021.633858.

Khadse, A. and Rosset, P.M. (2019). Zero Budget natural farming in india-from inception to institutionalization. Agroecology and Sustainable Food Systems. 43(7-8): 848-871. https://doi.org/10.1080/21683565.2019.1608349.

Khan, M.R., Raja, W., Bhat, T.A., Mir, M.S., Naikoo, N.B., Amin, Z., Nazir, A., Mir, S.A., Mohammad, I. and Wani, A.A. (2022). Zero budget natural farming: A way forward towards sustainable agriculture. Current Journal of Applied Science and Technology. 41(13): 31-43.

Khan, M.S., Zaidi, A., Ahemad, M., Oves, M. and Wani, P.A. (2010). Plant growth promotion by phosphate solubilizing fungi-current perspective. Archives of Agronomy and Soil Science. 56(1): 73-98.

Korav, S., Dhaka, A.K., Chaudhary, A. and YS, M. (2020). Zero budget natural farming a key to sustainable agriculture: Challenges, opportunities and policy intervention. Ind. J. Pure App. Biosci. 8(3): 285-295.

Kumar, C.P. (2023). Towards Sustainable agriculture: Evaluating the feasibility and perception of natural farming in Vizianagaram District of Andhra Pradesh, India. Bhartiya Krishi Anusandhan Patrika. 38(4): 376-382. doi: 10.18805/BKAP664.

Kumar, S., Sindhu, S.S. and Kumar, R. (2022). Biofertilizers: An ecofriendly technology for nutrient recycling and environmental sustainability. Current Research in Microbial Sciences. 3: 100094. doi: https://doi.org/10.1016/j.crmicr.2021.100094.

Kumawat, N., Shekhawat, P.S., Kumar, R., Sanwal, R.C. and Kheti, P. (2014). Formulation of biopesticides for insect pests and diseases management in organic farming. Pop. Kheti. 2(2): 237-242.

Kundan, R., Pant, G., Jadon, N. and Agrawal, P.K. (2015). Plant growth promoting rhizobacteria: Mechanism and current prospective. J. Fertil Pestic. 6(2): 155. doi:10.4172/jbfbp.1000155.

Lekasi, J.K., Tanner, J.C., Kimani, S.K. and Harris, P.J.C. (2003). Cattle manure quality in Maragua District, Central Kenya: Effect of management practices and development of simple methods of assessment. Agriculture, Ecosystems and Environment. 94(3): 289-298.

Lim, S.L., Wu, T.Y., Lim, P.N. and Shak, K.P.Y. (2015). The use of vermicompost in organic farming: Overview, effects on soil and economics. Journal of the Science of Food and Agriculture. 95(6): 1143-1156.

Major, J., Steiner, C., Ditommaso, A., Falcão, N.P. and Lehmann, J. (2005). Weed composition and cover after three years of soil fertility management in the central Brazilian Amazon: Compost, fertilizer, manure and charcoal applications. Weed Biology and Management. 5(2): 69-76.

Miah, M.N.A., Miah, M.R.U. and Alam, M.Z. (2017). Determining chemical composition of cattle urine and indigenous plant extracts. International Annals of Science. 3(1): 23-26.

Mohanapure, P. and Chavhan, M. (2020). Augmentation of zero budget natural farming for sustainable agriculture. Just Agriculture. 1(2): 374-379.

Mohanty, I., Senapati, M.R., Jena, D. and Palai, S. (2014). Diversified uses of cow urine. Int J. Pharm Pharm Sci. 6(3): 20-22.

Mohapatra, P., Ponnurasan, N. and Narayanasamy, P. (2009). Tribal pest control practices of Tamil Nadu for sustainable agriculture. Indian Journal of Traditional Knowledge. 8(2): 218-224.

Mukhuba, M., Roopnarain, A., Adeleke, R., Moeletsi, M. and Makofane, R. (2018). Comparative assessment of bio-fertiliser quality of cow dung and anaerobic digestion effluent. Cogent Food and Agriculture. 4(1): 1435019. doi: https://doi.org/10.1080/23311932.2018.1435019.

Nagavallemma, K.P., Wani, S.P., Lacroix, S., Padmaja, V.V., Vineela, C., Rao, M.B. and Sahrawat, K.L. (2004). Vermicomposting: Recycling wastes into valuable organic fertilizer. Global Theme on Agroecosystems Report no. 8.

Olaniyan, O.T. and Adetunji, C.O. (2021). Biochemical role of beneficial microorganisms: An overview on recent development in environmental and agro science. Microbial Rejuvenation of Polluted Environment. 3: 21-33.

Owens, J., Clough, T.J., Laubach, J., Hunt, J.E. and Venterea, R.T. (2017). Nitrous oxide fluxes and soil oxygen dynamics of soil treated with cow urine. Soil Science Society of America Journal. 81(2): 289-298.

Pathak, R.K. and Ram, R.A. (2013). Bio-enhancers: A potential tool to improve soil fertility, plant health in organic production of horticultural crops. Progressive Horticulture. 45(2): 237-254.

Powell, J.M. (2014). Feed and manure use in low-N-input and high-N-input dairy cattle production systems. Environmental Research Letters. 9(11): 115004. doi: 10.1088/1748-9326/9/11/115004.

Powell, J.M., Pearson, R.A. and Hiernaux, P.H. (2004). Crop-livestock interactions in the West African drylands. Agronomy Journal. 96(2): 469-483.

Prabhu, M. and Mutnuri, S. (2014). Cow urine as a potential source for struvite production. International Journal of Recycling of Organic Waste in Agriculture. 3: 1-12.

Pradhan, S.S., Verma, S., Kumari, S. and Singh, Y. (2018). Bio-efficacy of cow urine on crop production: A. IJCS. 6(3): 298-301.

Raj, A., Jhariya, M.K. and Toppo, P. (2014). Cow dung for eco-friendly and sustainable productive farming. Environ Sci. 3(10): 201-202.

Rawat, J., Saxena, J. and Sanwal, P. (2019). Biochar: A sustainable approach for improving plant growth and soil properties. Biochar-an Imperative Amendment for Soil and the Environment. 1-17.

Reddy, A.V.V. and Menon, S. (2021). A study on role of Jeevamruth in natural farming: A replacement for synthetic fertilizers. Journal of Emerging Technologies and Innovative Research. 8(5): 89-93.

Reeve, J.R., Hoagland, L.A., Villalba, J.J., Carr, P.M., Atucha, A., Cambardella, C., Davis, D.R. and Delate, K. (2016). Organic farming, soil health and food quality: Considering possible links. Advances in Agronomy. 137: 319-367.

Saharan, B.S., Tyagi, S., Kumar, R., Om, H., Mandal, B.S. and Duhan, J.S. (2023). Application of jeevamrit improves soil properties in zero budget natural farming fields. Agriculture. 13(1): 196. doi: https://doi.org/10.3390/agriculture13010196.

Saini, P.K., Yadav, R.K. and Yadav, G.C. (2019). Green manures in agriculture: A review. Bhartiya Krishi Anusandhan Patrika. 34(1): 1-10. doi: 10.18805/BKAP142.

Saunders, W.H.M. (1982). Effects of cow urine and its major constituents on pasture properties. New Zealand Journal of Agricultural Research. 25(1): 61-68.

Saxena, C.K., Kumar, M. and Singh, R.K. (2022). Zero budget natural farming for sustainable agriculture: A review. Bhartiya Krishi Anusandhan Patrika. 37(2): 105-113. doi: 10.18805/BKAP482.

Senesi, N. (1989). Composted materials as organic fertilizers. Science of the Total Environment. 81: 521-542.

Shaibur, M.R., Husain, H. and Arpon, S.H. (2021). Utilization of cow dung residues of biogas plant for sustainable development of a rural community. Current Research in Environmental Sustainability. 3: 100026. doi: 10.1016/j.crsust.2021.100026.

Shaji, H., Chandran, V. and Mathew, L. (2021). Organic fertilizers as a route to controlled release of nutrients. In Controlled release fertilizers for sustainable agriculture. Elsevier. (pp. 231-245).

Shepherd, M.A., Harrison, R. and Webb, J. (2002). Managing soil organic matter-implications for soil structure on organic farms. Soil Use and Management. 18: 284-292.

Smith, J., Yeluripati, J., Smith, P. and Nayak, D.R. (2020). Potential yield challenges to scale-up of zero budget natural farming. Nature Sustainability. 3(3): 247-252. https://doi.org/10.1038/s41893-019-0469-x.

Sodani, R. and Kumar, S. (2017). Cow urine: A boon for sustainable agriculture. Int. J. Curr. Microbiol. App. Sci. 6(2): 1824-1829.

Soliaman, S.B., Hossain, M.B., Saha, M.K., Mandal, R. and Khan, M.H.R. (2022). Impacts of cow dung and poultry manure on the mineral nutrient uptake of red amaranth grown in a mixture of acid and calcareous soils. Dhaka University Journal of Biological Sciences. 31(2): 329-342.

Suganthy, M. (2020). Science and technologies for non-chemical management of insects, diseases and nematodes. Extended Summary. 28.

Tran, Q.B., Nguyen, T.P.T., Le, T.N., Schnitzer, H., Braunegg, G., Le, S., Hoang, C.T., Nguyen, X. C., Nguyen, V.H. and Peng, W. (2020). Integrated farming system producing zero emissions and sustainable livelihood for small-scale cattle farms: Case study in the Mekong Delta, Vietnam. Environmental Pollution. 26(5): 114853. doi: 10.1016/j.envpol.2020.114853.

Uzoma, K.C., Inoue, M. andry, H., Fujimaki, H., Zahoor, A. and Nishihara, E. (2011). Effect of cow manure biochar on maize productivity under sandy soil condition. Soil Use and Management. 27(2): 205-212.

Wachendorf, C., Taube, F. and Wachendorf, M. (2005). Nitrogen leaching from 15 N labelled cow urine and dung applied to grassland on a sandy soil. Nutrient Cycling in Agroecosystems. 73: 89-100.

Waqas, M., Nizami, A.S., Aburiazaiza, A.S., Barakat, M.A., Ismail, I.M.I. and Rashid, M.I. (2018). Optimization of food waste compost with the use of biochar. Journal of Environmental Management. 216: 70-81.

Yatoo, A.M., Rasool, S., Ali, S., Majid, S., Rehman, M.U., Ali, M.N., Eachkoti, R., Rasool, S., Rashid, S.M. and Farooq, S. (2020). Vermicomposting: An eco-friendly approach for recycling/management of organic wastes. Bioremediation and Biotechnology: Sustainable Approaches to Pollution Degradation. pp 167-187.

Zaman, M.M., Chowdhury, T., Nahar, K. and Chowdhury, M.A.H. (2017). Effect of cow dung as organic manure on the growth, leaf biomass yield of Stevia rebaudiana and post harvest soil fertility. Journal of the Bangladesh Agricultural University. 15(2): 206-211.